

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: <u>142806</u> Part No. <u>D3608-1</u> NCR No. _____		DISPOSITION Rework ☒ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Cross tube ☐ Water Jet ☐ Engineering ☒ Machining ☐ Small Fab ☐ Prod. Eng. Coord. ☐ Quality ☐ Thermoforming ☐ Finishing ☐ Rec/Store/Packaging ☐ Other ☐ Large Fab ☐ Composite ☐ Supplier ☐					
Date: <u>16-03-21</u>		Step #: <u>100</u>		QTY Effective: <u>1</u>			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				DAS 12 9-89 16/3/11	
Do not drill the 3 indicated holes.				Acceptable deviation - Customer will transfer drill holes to Ø0.161 per figure 4 of IIN				Completed By DAS 12 9-89 16/3/11	
								Lead hand / Supervisor Approval Verification DAS 9 9-89 16-03-21	
								QC / QA Coordinator Approval DAS 9 9-89 16-03-21	
Root Cause Environment ☐ No Re-verification ☐ Design ☐ Operator ☐ Doc/Data ☐ Offset/Setup ☐ Equip/Tooling ☐ Supplier ☐ Handling/Pre ☐ Training ☐ Material ☒ Use for Testing ☐ Internal Transport ☐ Poor Information ☐ Tribal Knowledge ☐ Rushing ☐ LOA ☐ Product Improvement ☐ Substation ☐ Process Improvement ☐ Past Expiry Date ☐ Manufacturing Process ☐ Misidentified ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Temperature/Cure ☐ Power Loss/Surge ☐ Positioned Wrong ☐ Bending ☐ Set-up ☐ Folio/Program ☐ Outside Dimensions ☐ Centre Not Concentric ☐ BOM/Route ☐ Grain ☐ Over/Under tolerance ☐ Cracks ☐ Broken/Damage/Defect ☐ Weld ☐ Part Incorrect ☐ Crimp/Kink/Ripple/Wave ☐ Inspection Incomplete/Unqualified ☐ Wrong Stock Pulled ☐ Part Lost/Missing ☐ Cuffs ☐ Contamination ☐ Out of Sequence ☐ Part Moved ☐ Crushing ☐ Countersink ☐ Off-set ☐ Drawing ☐ Heat Treat ☐ Cut Too Short ☐ Mislabeled ☐ Finish ☐ Wave/Twist in Tube ☐ Instructions Incomplete/Unclear ☐ ☒ Fit/Function ☐ Misread ☐ Marks/Chatter ☐ Drill Holes ☐ Misaligned/off center ☐ Turning Sequence ☐							
OTHER: _____									

Work Order ID 142806

March 11, 2016 2:32:06 PM

142806

Page 2

Item ID: D3608-1 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: URF 16-532
Item Name: Lower Doubler Stop ***NS2***
Start Date: 3/18/2016 Start Qty: 1.00 ***1*** Cust Item ID:
Required Date: 3/30/2016 Req'd Qty: 1.00 ***1*** Customer:
Reference:

Approvals: Process Plan: Date: Tooling: Date: Run Start ***NR1***
QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	Identify as per dwg & Stock Location: <i>ST</i>	0.00							
150									
Packaging	Memo	0.00							
Packaging									
160	QC21- Final Inspection - Work Order Release	0.00							
160									
QC	Memo	0.00							
Quality Control									

ML5 **MAR 22 2016**

16-3-21

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date: _____	Step #: _____	QTY Effective: _____		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER: _____					

Picklist Print

March 11, 2016 2:32:11 PM

Page 1

Work Order ID: 142806

142806

Parent Item: D3608-1

D3608-1

Parent Item Name: Lower Doubler

Start Date: 3/18/2016

Required Date: 3/30/2016

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev:A New Issue 07-03-26 JLM
 IPP Rev:B 08-10-15 preliminary issue DD verified by:EC
 IPP Rev:C 08-12-11 rev.A as per dwg DD verified by:EC IPP
 Rev:D 10.02.16 rev.B as per dwg DD verified by:EC IPP Rev:E
 10.11.17 as per PC1 dwg DD verified by:EC IPP Rev:F 10.11.29 as
 per revC dwg DD verified by:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

M304S20GA

Purchased

No

100

sf

135.9210

0.7392

0.778105

M304S20GA

304/316 .040 Sheet

02/16/03/21

Location

Loc Qty

Loc Code

MAT020

95.8

m134067

31.8

m134399

64

MAT20

40.121

m133901

40.121

Under Review Notification

Raised By: M. BELLAVANCE

Product #: D412-775-013

Date: 16.02.25


Product Name: STEP PROTECTIVE TRIM KIT

Part Number (D-Part and 9-Digit)	Drawing/Document & Current Affected Revision	"Y" or "N" Required for Each Part							Reserved ECN Log Number	Instructions Relevant to Each Part
		HOLD SHIPMENT	Red Tag/Quarantine Stock	Advise Customers	Stop Production	Re-Work Stock	IPP Under Review	Product Specifications Under Review		
D3608-1	D3608 Rev. C	N	Y	N	Y	N	Y	N	TBD	See below.
D412-775-013	IIN-D412-775 Rev. A	N	Y	N	Y	N	Y	N	16-532	See below.

Description of Issue:

Current stock OK to ship to customers other than Bell Helicopter Mirabel.

If shipping to Bell Helicopter Mirabel: must ship D412-775-013 with D3608-1 minus 3 holes as per attached. Eng. to sign off deviations on W/Os.



RELEASED
2010-11-23

D3608-1 LOWER DOUBLER

NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE
PER MIL-S-5059, OR AMS 5513 (304) OR AMS 5524 (316)
OR ASTM A240 OR ASTM SA240
REF DART SPEC M304S20GA
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.76 lbs

20160311


Sta 142806

C	OFFSET TOP AND VERTICAL EDGES OF RECTANGULAR OPENING BY 0.250 OUTWARDS; UPDATE IDENTIFICATION REFERENCE	MB	10.11.19
B	OFFSET TOP AND VERTICAL EDGES OF RECTANGULAR OPENING BY 0.250 INWARDS; ELIMINATE D3608-1F7-3F DELETED BENDING DETAILS. REASON: D3608-1F7-3 NOW SOLD TO CUSTOMERS UNBENT PER PAR#09-007	MB	10.02.05
A	NEW ISSUE	MB	07.04.11
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.11.19		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
D3608
REV. C
SHEET 1 OF 2
TITLE
DOUBLER
SCALE
NTS

COPYRIGHT © 2019 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR LOANED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD



D3608-3 UPPER DOUBLER

NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET, 20 GAUGE
PER MIL-S-5059, OR AMS 5513 (304) OR AMS 5524 (316)
OR ASTM A240 OR ASTM SA240
REF DART SPEC M304S20GA
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
- 7) WEIGHT: 0.75 lbs

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3608	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		DOUBLER	NTS
DATE	10.11.19	COPYRIGHT © 2010 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COMPLETED CONSTRUCTION TO ANY OTHER PERSON OR ENTITY WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
2010-11-23
NHT

